

Calling Attention to a Matter of Urgent Public Importance

re : Washing away of the Bridge at Kopgal Village, Manvi Taluk

Sri M. NAGAPPA.—Sir, I call the attention of the Minister for Public Works to the inconvenience caused to the people due to washing away of the bridge near Kopgal village in Manvi taluk.

Sri K. LAKKAPPA (Minister for Public Works).—Sir, A bridge of nine spans each of 20 ft. is situated near Kopgal village, at mile 13/7 of Raichur-Tanegara Road, which is a State Highway. This bridge is an old one constructed in the year 1938. It is located at a distance of about one mile on the up stream of Boyal-Merched Tank. This tank is silted up very heavily and is overgrown with weeds. The silting up of the tank and the growth of weeds have resulted in the greater waterspread of the tank, as well as the backing up of water. This in turn, has resulted in the reduction of velocity of water under the bridge from about 11 ft. per second to about 3 ft. per second, causing over-flow over the bridge and its embankments.

There was a very heavy rainfall in the area to an extent of 75.8 mm within a duration of about four hours on the night of 19-9-1970. Due to this heavy rainfall, there was over-flow of water over the bridge and its approaches for a length of about 300 ft. and to a depth of one ft. and this lasted for about three hours on the morning of 20-9-1970. However, the bridge was not washed away and it is in good condition. There were a few scours on the downstream side of the approach embankments and the same have been repaired immediately. There was no dislocation of traffic and the vehicles were reported to have passed over the bridge during the time of over-flow.

There was no representation received by the Public Works Department for effecting repairs to this bridge. As a matter of fact, His Excellency the Governor of Mysore and the Hon'ble Chief Minister have travelled on this bridge on 9-9-1970. Therefore, there has been no negligence, whatsoever, on the part of the Public Works Department.

Hence, the question of construction of the bridge and restoring the traffic does not arise. However, necessary action will be taken to clear the vent-way of the bridge and open out a draft channel downstream of the bridge, to avoid heading up of water and consequential over-flow of water over the bridge and the approaches.

ಶ್ರೀ ಎಂ. ನಾಗಪ್ಪ.—ಬಾಯರ್ ಮಾರ್ಚೆಂಡ್ ಟ್ಯಾಂಕ್ ಹೆಚ್ಚಿಗೆ ಸಿಲ್ಟ್ ಆಫ್ ಆಗಿರುವುದರಿಂದ ಈ ಬ್ರಿಡ್ಜ್‌ನಲ್ಲಿ ಯಾವಾಗಲೂ ವರ್ಷದಲ್ಲಿ 365 ದಿನಗಳೂ ನೀರು ಏರುತ್ತದೆ. ಇದರಿಂದ ಸಾಧಾರಣವಾಗಿ 3 ಸಾವಿರ ಎಕರೆ ಜಮೀನು ಸಬ್‌ಮರ್ಜ್ ಆಗಿರುವುದು ನಿಜವಲ್ಲವೇ ? ಬಾಯರ್ ಮಾರ್ಚೆಂಡ್ ಟ್ಯಾಂಕ್‌ನ್ನು ಒಡೆಯಬೇಕೆಂದು ಕೆಲವರು ಪಿ.ಡಬ್ಲ್ಯು.ಡಿ ಪಾರ್ಟ್‌ಮೆಂಟ್‌ಗೆ ಅಪ್ಪಿಕೇಷನ್ ಕೊಟ್ಟು ಆ ಕೆಲಸ ಪ್ರಾರಂಭ ಮಾಡಿದರು. ಆ ಮೇಲೆ ಈಗ ಒಂದು ವರ್ಷದಿಂದ ಆ ಕೆಲಸವನ್ನು ಮಾಡಲಿಲ್ಲ. ಅದನ್ನು ನಿಲ್ಲಿಸಿದ್ದರಿಂದ ಆ ಬ್ರಿಡ್ಜ್‌ಮೇಲೆ ನೀರು ಹರಿಯುತ್ತಿರುವುದು ನಿಜವಲ್ಲವೇ ?

ಶ್ರೀ ಕೆ. ಲಕ್ಕಪ್ಪ.—ಅ ಟ್ಯಾಂಕ್ ನಿರ್ವಾ ಅಪ್ ಆಗಿರುವುದರಿಂದ ಒಮ್ಮೊಮ್ಮೆ ನೀರು ಒವರ್ ಫ್ಲೋ ಆಗುತ್ತದೆ. ಅದನ್ನು ದುರಸ್ತಿ ಮಾಡಬೇಕೆಂಬುದನ್ನು ಅಧಿಕಾರಿಗಳು ಮನ ಗಂಡಿದ್ದಾರೆ. ಕೆಳಗಡೆ ವೆಂಟ್ ವೇ ಅಪ್ ದಿ ಬ್ರಿಡ್ಜಿನಲ್ಲಿ ಮಣ್ಣು ತೆಗೆದು ಹಿಂದೆ ಇದ್ದ ಹಾಗೆ ನೀರು ಸುಲಸಾಗಿ ಹರಿದುಹೋಗುವುದಕ್ಕೆ ವ್ಯವಸ್ಥೆ ಮಾಡಬೇಕೆಂದು ಅಧಿಕಾರಿಗಳು ಮನ ಗಂಡಿದ್ದಾರೆ. ಅದನ್ನು ಮಾಡುತ್ತಾರೆ. ಅದಕ್ಕೆ ತಕ್ಕ ಕ್ರಮವನ್ನು ತೆಗೆದು ಕೊಳ್ಳುತ್ತಾರೆ.

ಶ್ರೀ ಎಂ. ನಾಗಪ್ಪ.—ಇದರ ಬಗ್ಗೆ ರಾಯಚೂರು ಡಿಸ್ಟ್ರಿಕ್ಟಿನ ಡೆಪ್ಯುಟಿ ಮಿನಿಸ್ಟರೊಬ್ಬರು ಪರ್ವನರಾಗಿ ಒಂದು ರೆಪ್ರೆಜೆಂಟೇಷನ್ ಅನ್ನು ತಮಗೆ ಕೊಟ್ಟಿಲ್ಲವೇ ?

ಶ್ರೀ ಕೆ. ಲಕ್ಕಪ್ಪ.—ಯಾವ ಡೆಪ್ಯುಟಿ ಮಿನಿಸ್ಟರೂ ಕೂಡ ಈ ವಿಷಯದಲ್ಲಿ ನನಗೆ ತಿಳಿಸಿಲ್ಲ. ಮತ್ತು ಅವರೇನಾದರೂ ಪಿ.ಡಬ್ಲ್ಯು.ಡಿ. ಇಲಾಖೆಗೆ ಬಿನಾದರೂ ತಿಳಿಸಿದ್ದಾರೆಲ್ಲ ಎಂಬುದನ್ನು ತಿಳಿದು ಕೊಳ್ಳಬೇಕೆಂದು ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರಿಗಳಿಗೆ ಫೋನ್ ಮಾಡಿ ವಿಷಯ ತಿಳಿದುಕೊಳ್ಳುವುದಕ್ಕೆ ನಾನು ಪ್ರಯತ್ನ ಮಾಡಿದೆ, ಆ ರೀತಿ ಯಾರೂ ತಿಳಿಸಿಲ್ಲ ಎಂದು ವರ್ತಮಾನ ಬಂದಿದೆ. ಮತ್ತು ಬಾಯಿಲ್ ಮಾರ್ಚೆಂಡ್ ಟ್ಯಾಂಕ್ ಒಡೆಯುವ ಪ್ರಯತ್ನ ಮಾಡಿಲ್ಲ.

ಶ್ರೀ ಎಂ. ನಾಗಪ್ಪ.—ಮಾನ್ಯ ಮಂತ್ರಿಗಳು ಸತ್ಯಕ್ಕೆ ಊರವಾದ ವಿಚಾರವನ್ನು ಹೇಳುತ್ತಿದ್ದಾರೆ. ಈಗ ಇರತಕ್ಕ ಬ್ರಿಡ್ಜ್ ಒಡೆದಿಲ್ಲ ಎಂದು ಮಾನ್ಯ ಮಂತ್ರಿಗಳು ಹೇಳಿದರು. ನೀರು ಒವರ್ ಫ್ಲೋ ಆಗಿ ಬ್ರಿಡ್ಜಿನ ಪಕ್ಕದ ರೋಡಿನಲ್ಲಿ ಹರಿಯುತ್ತಿದೆ. ಪಾಸ್ತವವಾಗಿ ಬ್ರಿಡ್ಜಿನ ಮೇಲೆ ನೀರು ಹೋಗುವುದಿಲ್ಲ. ಆದ್ದರಿಂದ ಇದನ್ನು ಕೂಡಲೇ ಸರಿಪಡಿಸುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಲಕ್ಕಪ್ಪ.—ಒವರ್ ಫ್ಲೋ ಆಗುವುದು ನನಗೆ ಗೊತ್ತಿದೆ. ಒಂದುವೇಳೆ ಬಿನಾದರೂ ಬ್ರಿಡ್ಜ್ ಒಡೆದು ಹೋಗಿ ತೊಂದರೆಯಾಗಿದ್ದರೆ ಅದನ್ನು ಕೂಡಲೇ ಫೋನ್ ಮಾಡಿ ತಿಳಿದುಕೊಂಡು ಅದನ್ನು ಸರಿಪಡಿಸುವುದಕ್ಕೆ ಆದೇಶ ಕೊಡುತ್ತೇನೆ.

Papers laid on the table

Sri H. V. KOUJALGI (Minister for Revenue).—Sir, on behalf of the Chief Minister, I lay on the Table :

1. the Mysore Home Guards (Amendment) Rules 1970, Notification No. GSR 179 dated 1st May 1979 under sub-section (3) of section 12 of the Mysore Home Guards Act 1962.

2. The Annual Report of the Mysore Public Service Commission for the year 1966-67 as required under article 323 (2) of the Constitution of India.

Sri H. SIDDAVEERAPPA.—Sir, I would like to know why there has been such inordinate delay in placing the Report of the Public Service Commission for the year 1966-67. Today they have supplied the Administration Report of the year 1963-64. Why do they do like this ? Has there been any sanctity about it ? Is it not to satisfy any statutory requirements ? Why is the Government so negligent about this ?

Sri H. V. KOUJALGI.—Sir, I cannot say why there is delay. However, I will see in future that such delays are avoided.

Sri M. NAGAPPA.—Sir, as per article 322 (2) this Report has to be placed every year, at the end of the year. It cannot be done after 2 or